

GLYD RING



Profile	ID	OD	THK	Material
P45	5.1	10	2.20	NBR/BFT
P45	5.1	10	2.20	FKM/BFT
P45	7.1	12	2.20	NBR/BFT
P45	7.5	15	3.20	NBR/BFT
P45	8.5	16	3.20	NBR/BFT
P45	9.1	14	2.20	NBR/BFT
P45	9.1	14	2.20	FKM/BFT
P45	10.5	18	3.20	NBR/BFT
P45	12.5	20	3.20	NBR/BFT
P45	14	25	4.20	NBR/BFT
P45	14	25	4.20	FKM/BFT
P45	14.5	22	3.20	NBR/BFT
P45	14.5	22	3.20	FKM/BFT
P45	17.5	25	3.20	NBR/BFT
P45	17.5	25	3.20	FKM/BFT
P45	17.6	22	2.05	NBR/BFT
P45	18.5	26	3.20	NBR/BFT
P45	20.5	28	3.20	NBR/BFT
P45	20.5	28	3.20	FKM/BFT
P45	22.5	30	3.20	NBR/BFT
P45	22.5	30	3.20	FKM/BFT
P45	24.5	32	3.20	NBR/BFT
P45	24.5	32	3.20	FKM/BFT
P45	27.5	35	3.20	NBR/BFT
P45	27.5	35	3.20	FKM/BFT
P45	28.5	36	3.20	NBR/BFT
P45	28.5	36	3.20	FKM/BFT
P45	29	40	4.20	NBR/BFT
P45	29	40	4.20	FKM/BFT
P45	30.5	38	3.20	NBR/BFT
P45	30.5	38	3.20	FKM/BFT
P45	31	42	4.20	NBR/BFT
P45	31	42	4.20	FKM/BFT

GLYD RING



Profile	ID	OD	THK	Material
P45	34	45	4.20	NBR/BFT
P45	37	48	4.20	NBR/BFT
P45	37	48	4.20	FKM/BFT
P45	39	50	4.20	NBR/BFT
P45	39	50	4.20	FKM/BFT
P45	44	55	4.20	NBR/BFT
P45	45	56	4.20	NBR/BFT
P45	47.5	63	6.30	NBR/BFT
P45	47.5	63	6.30	FKM/BFT
P45	49	60	4.20	NBR/BFT
P45	49	60	4.20	FKM/BFT
P45	52	63	4.20	NBR/BFT
P45	52	63	4.20	FKM/BFT
P45	52.5	63.5	4.20	NBR/BFT
P45	52.5	63.5	4.20	FKM/BFT
P45	54	65	4.20	NBR/BFT
P45	54	65	4.20	FKM/BFT
P45	54.5	70	6.30	NBR/BFT
P45	54.5	70	6.30	FKM/BFT
P45	59	70	4.20	NBR/BFT
P45	59	70	4.20	FKM/BFT
P45	59	80	8.10	NBR/BFT
P45	59	80	8.10	FKM/BFT
P45	64	75	4.20	NBR/BFT
P45	64	75	4.20	FKM/BFT
P45	64.5	80	6.30	NBR/BFT
P45	64.5	80	6.30	FKM/BFT
P45	69	80	4.20	NBR/BFT
P45	69	80	4.20	FKM/BFT
P45	69	90	8.10	NBR/BFT
P45	69.5	85	6.30	NBR/BFT
P45	69.5	85	6.30	FKM/BFT
P45	74.5	90	6.30	NBR/BFT

GLYD RING



Profile	ID	OD	THK	Material
P45	74.5	90	6.30	FKM/BFT
P45	79	100	8.10	NBR/BFT
P45	79.5	95	6.30	NBR/BFT
P45	79.5	95	6.30	FKM/BFT
P45	84.5	100	6.30	NBR/BFT
P45	84.5	100	6.30	FKM/BFT
P45	89	110	8.10	NBR/BFT
P45	89.5	105	6.30	NBR/BFT
P45	89.5	105	6.30	FKM/BFT
P45	94	115	8.10	NBR/BFT
P45	94.5	110	6.30	NBR/BFT
P45	94.5	110	6.30	FKM/BFT
P45	99	120	8.10	NBR/BFT
P45	99.5	115	6.30	NBR/BFT
P45	99.5	115	6.30	FKM/BFT
P45	104	125	8.10	NBR/BFT
P45	104.5	120	6.30	NBR/BFT
P45	104.5	120	6.30	FKM/BFT
P45	109	130	8.10	NBR/BFT
P45	109	130	8.10	FKM/BFT
P45	109.5	125	6.30	NBR/BFT
P45	109.5	125	6.30	FKM/BFT
P45	114	135	8.10	NBR/BFT
P45	114.5	130	6.30	NBR/BFT
P45	114.5	130	6.30	FKM/BFT
P45	119	140	8.10	NBR/BFT
P45	119	140	8.10	FKM/BFT
P45	124	145	8.10	NBR/BFT
P45	124	145	8.10	FKM/BFT
P45	124.5	140	6.30	NBR/BFT
P45	124.5	140	6.30	FKM/BFT
P45	129	150	8.10	NBR/BFT
P45	129	150	8.10	FKM/BFT

GLYD RING



Profile	ID	OD	THK	Material
P45	129.5	145	6.30	NBR/BFT
P45	129.5	145	6.30	FKM/BFT
P45	134	155	8.10	NBR/BFT
P45	134	155	8.10	FKM/BFT
P45	134.5	150	6.30	NBR/BFT
P45	134.5	150	6.30	FKM/BFT
P45	139	160	8.10	NBR/BFT
P45	139	160	8.10	FKM/BFT
P45	144	165	8.10	NBR/BFT
P45	144	165	8.10	FKM/BFT
P45	144.5	160	6.30	NBR/BFT
P45	144.5	160	6.30	FKM/BFT
P45	149	170	8.10	NBR/BFT
P45	149	170	8.10	FKM/BFT
P45	154	175	8.10	NBR/BFT
P45	159	180	8.10	NBR/BFT
P45	164	185	8.10	NBR/BFT
P45	164.5	180	6.30	NBR/BFT
P45	164.5	180	6.30	FKM/BFT
P45	164.5	180	6.30	FKM/BFT
P45	169	190	8.10	NBR/BFT
P45	174	195	8.10	NBR/BFT
P45	179	200	8.10	NBR/BFT
P45	184.5	200	6.30	NBR/BFT
P45	184.5	200	6.30	FKM/BFT
P45	189	210	8.10	NBR/BFT
P45	199	220	8.10	NBR/BFT
P45	204	225	8.10	NBR/BFT
P45	209	230	8.10	NBR/BFT
P45	219	240	8.10	NBR/BFT
P45	229	250	8.10	NBR/BFT
P45	234	255	8.10	NBR/BFT
P45	239	260	8.10	NBR/BFT

GLYD RING

Profile	ID	OD	THK	Material
P45	249	270	8.10	NBR/BFT
P45	259	280	8.10	NBR/BFT
P45	269	290	8.10	NBR/BFT
P45	279	300	8.10	NBR/BFT
P45	299	320	8.10	NBR/BFT
P45	325.5	350	8.10	NBR/BFT
P45	335.5	360	8.10	NBR/BFT
P45	345.5	370	8.10	NBR/BFT
P45	355.5	380	8.10	NBR/BFT
P45	365.5	390	8.10	NBR/BFT
P45	375.5	400	8.10	NBR/BFT
P45	395.5	420	8.10	NBR/BFT
P45	425.5	450	8.10	NBR/BFT
P45	475.5	500	8.10	NBR/BFT
P45	485.5	510	8.10	NBR/BFT
P45	525.5	550	8.10	NBR/BFT
P45	575.5	600	8.10	NBR/BFT