

**ROD STEP SEAL**



Profile	ID	OD	THK	Material
S15	6	10.9	2.2	NBR/BFT
S15	6	10.9	2.20	FKM/BFT
S15	10	14.9	2.20	NBR/BFT
S15	10	17.3	3.20	NBR/BFT
S15	10	17.3	3.20	FKM/BFT
S15	12	16.9	2.20	NBR/BFT
S15	12	16.9	3.20	FKM/BFT
S15	12	19.3	3.20	NBR/BFT
S15	14	21.3	3.20	NBR/BFT
S15	15	22.3	3.20	NBR/BFT
S15	16	20.9	2.20	NBR/BFT
S15	16	23.3	3.20	NBR/BFT
S15	16	23.3	3.20	FKM/BFT
S15	18	25.3	3.20	NBR/BFT
S15	20	27.3	3.20	NBR/BFT
S15	20	30.7	4.20	NBR/BFT
S15	20	30.7	4.20	FKM/BFT
S15	22	29.3	3.20	NBR/BFT
S15	22	29.3	3.20	FKM/BFT
S15	22	32.7	4.20	NBR/BFT
S15	22	32.7	4.20	FKM/BFT
S15	25	32.3	3.20	NBR/BFT
S15	25	32.3	3.20	FKM/BFT
S15	25	35.7	4.20	NBR/BFT
S15	25	35.7	4.20	FKM/BFT
S15	28	35.3	3.20	NBR/BFT
S15	28	35.3	3.20	FKM/BFT
S15	28	38.7	4.20	NBR/BFT
S15	28	38.7	4.20	FKM/BFT
S15	30	40.7	4.20	NBR/BFT
S15	30	40.7	4.20	FKM/BFT
S15	32	39.3	3.20	NBR/BFT
S15	32	42.7	4.20	NBR/BFT

**ROD STEP SEAL**



Profile	ID	OD	THK	Material
S15	32	42.7	4.20	FKM/BFT
S15	35	42.3	3.20	NBR/BFT
S15	35	42.3	3.20	FKM/BFT - FKM+MBRT-60
S15	35	45.7	4.20	NBR/BFT
S15	36	43.3	3.20	NBR/BFT
S15	36	43.3	3.20	FKM/BFT
S15	36	46.7	4.20	NBR/BFT
S15	38	48.7	4.20	NBR/BFT
S15	40	50.7	4.20	NBR/BFT
S15	40	50.7	4.20	FKM/BFT
S15	40	55.1	6.30	NBR/BFT
S15	42	52.7	4.20	NBR/BFT
S15	42	52.7	4.20	FKM/BFT
S15	45	55.7	4.20	NBR/BFT
S15	45	55.7	4.20	FKM/BFT
S15	45	60.1	6.30	NBR/BFT
S15	45	60.1	6.30	FKM/BFT
S15	50	60.7	4.20	NBR/BFT
S15	50	65.1	6.30	NBR/BFT
S15	50	65.1	6.30	FKM/BFT
S15	55	65.7	4.20	NBR/BFT
S15	55	65.7	4.20	FKM/BFT
S15	55	70.1	6.30	NBR/BFT
S15	56	66.7	4.20	NBR/BFT
S15	56	71.1	6.30	NBR/BFT
S15	60	70.7	4.20	NBR/BFT
S15	60	75.1	6.30	NBR/BFT
S15	60	75.1	6.30	FKM/BFT
S15	63	78.1	6.30	NBR/BFT
S15	63	78.1	6.30	FKM/BFT
S15	65	80.1	6.30	NBR/BFT
S15	65	80.1	6.30	FKM/BFT

**ROD STEP SEAL**



Profile	ID	OD	THK	Material
S15	70	85.1	6.30	NBR/BFT
S15	70	85.1	6.30	FKM/BFT
S15	75	85.7	4.20	NBR/BFT
S15	75	90.1	6.30	NBR/BFT
S15	75	90.1	6.30	FKM/BFT
S15	80	95.1	6.30	NBR/BFT
S15	80	95.1	6.30	FKM/BFT
S15	85	100.1	6.30	NBR/BFT
S15	85	100.1	6.30	FKM/BFT
S15	90	105.1	6.30	NBR/BFT
S15	90	105.1	6.30	FKM/BFT
S15	95	110.1	6.30	NBR/BFT
S15	95	110.1	6.30	FKM/BFT
S15	100	115.1	6.30	NBR/BFT
S15	100	115.1	6.30	FKM/BFT
S15	105	120.1	6.30	NBR/BFT
S15	105	120.1	6.30	FKM/BFT
S15	110	125.1	6.30	NBR/BFT
S15	110	125.1	6.30	FKM/BFT
S15	110	130.5	8.10	NBR/BFT
S15	110	130.5	8.10	FKM/BFT
S15	115	130.1	6.30	NBR/BFT
S15	115	130.1	6.30	FKM/BFT
S15	120	135.1	6.30	NBR/BFT
S15	120	135.1	6.30	FKM/BFT
S15	125	140.1	6.30	NBR/BFT
S15	125	140.1	6.30	FKM/BFT
S15	125	145.5	8.10	NBR/BFT
S15	130	145.1	6.30	NBR/BFT
S15	130	145.1	6.30	FKM/BFT
S15	130	150.5	8.10	NBR/BFT
S15	135	150.1	6.30	NBR/BFT
S15	135	150.1	6.30	FKM/BFT

**ROD STEP SEAL**



Profile	ID	OD	THK	Material
S15	140	155.1	6.30	NBR/BFT
S15	140	155.1	6.30	FKM/BFT
S15	140	160.5	8.10	NBR/BFT
S15	140	160.5	8.10	FKM/BFT
S15	145	160.1	6.30	NBR/BFT
S15	145	160.1	6.30	FKM/BFT
S15	150	165.1	6.30	NBR/BFT
S15	150	165.1	6.30	FKM/BFT
S15	155	170.1	6.30	NBR/BFT
S15	155	170.1	6.30	FKM/BFT
S15	160	175.1	6.30	NBR/BFT
S15	160	175.1	6.30	FKM/BFT
S15	160	180.5	8.10	NBR/BFT
S15	165	180.1	6.30	NBR/BFT
S15	165	180.1	6.30	FKM/BFT
S15	170	185.1	6.30	NBR/BFT
S15	170	185.1	6.30	FKM/BFT
S15	180	195.1	6.30	NBR/BFT
S15	180	195.1	6.30	FKM/BFT
S15	180	200.5	8.10	NBR/BFT
S15	185	200.1	6.30	NBR/BFT
S15	185	200.1	6.30	FKM/BFT
S15	190	205.1	6.30	NBR/BFT
S15	190	205.1	6.30	FKM/BFT
S15	195	210.1	6.30	NBR/BFT
S15	200	220.5	8.10	NBR/BFT
S15	205	225.5	8.10	NBR/BFT
S15	210	230.5	8.10	NBR/BFT
S15	220	240.5	8.10	NBR/BFT
S15	230	250.5	8.10	NBR/BFT
S15	235	255.5	8.10	NBR/BFT
S15	240	260.5	8.10	NBR/BFT
S15	250	270.5	8.10	NBR/BFT

**ROD STEP SEAL**



Profile	ID	OD	THK	Material
S15	260	284	8.10	NBR/BFT
S15	270	294	8.10	NBR/BFT
S15	280	304	8.10	NBR/BFT
S15	290	314	8.10	NBR/BFT
S15	300	324	8.10	NBR/BFT
S15	310	334	8.10	NBR/BFT
S15	320	344	8.10	NBR/BFT
S15	330	354	8.10	NBR/BFT
S15	340	364	8.10	NBR/BFT
S15	350	374	8.10	NBR/BFT
S15	360	384	8.10	NBR/BFT
S15	370	394	8.10	NBR/BFT
S15	380	404	8.10	NBR/BFT
S15	390	414	8.10	NBR/BFT
S15	400	424	8.10	NBR/BFT
S15	450	474	8.10	NBR/BFT
S15	460	484	8.10	NBR/BFT
S15	480	504	8.10	NBR/BFT
S15	500	524	8.10	NBR/BFT
S15	520	544	8.10	NBR/BFT
S15	580	604	8.10	NBR/BFT
S15	600	624	8.10	NBR/BFT
S15	650	677.3	9.50	NBR/BFT
S15	700	727.3	9.50	NBR/BFT